

entitled "Double Transgenic Animals as Models for Neurodegenerative Disease" which claims priority from Great Britain Patent Application No. 9915576.9 filed July 02, 1999 having the same title, both of which are incorporated by reference into this application in their entirety.--

Kindly delete the abstract and insert therefore the following paragraph:

--The present invention relates to cell and animal models for a disease condition and in particular to an animal model which can function as a model for neurodegenerative diseases, such as Alzheimers.--

IN THE CLAIMS

Kindly cancel claim 45-48

Kindly amend the following claims:

4. (Amended) A vector according to claim 1 wherein said sequence encoding human Tau is a cDNA sequence.

6. (Amended) A vector according to claim 1 wherein said sequence capable of directing expression of said human Tau protein is a mouse promoter.

10. (Amended) A vector according to claim 1 further comprising two loxP sites flanking either of the sequences of step (a) and (b).

11. (Amended) A vector according to claim 1 further comprising a stop sequence capable of preventing expression of said human Tau protein and which sequence is flanked by two loxP sites capable of

undergoing reciprocal conservative DNA recombination in the presence of Cre recombinase with the resulting excision of said stop sequence.

14. (Amended) A vector according to claim 12 wherein said human protein is GSK-3 β kinase.

15. (Amended) A vector according to claim 12 wherein said nucleic acid sequence in step a) is a cDNA sequence.

16. (Amended) A vector according to claim 12 wherein said sequence capable of directing expression of said protein capable of modulating human Tau protein is a mouse promoter.

18. (Amended) A vector according to claim 12 further comprising two loxP sites flanking either of the sequences of step (a) and (b).

19. (Amended) A vector according to claim 12 further comprising a stop sequence capable of preventing expression of said protein capable of modulating human Tau protein, and which stop sequence is flanked by two loxP sites capable of undergoing reciprocal conservative DNA recombination in the presence of Cre recombinase with the resulting excision of the stop sequence.

24. (Amended) A method of making a transgenic non-human animal comprising the steps of:

- (a) introducing into an embryo cell of said animal one or more of a nucleic acid vectors according to claim 1;
- (b) introducing the embryo from step (a) into a female animal;

- (c) sustaining the female in step (b) until such time as the embryo has sufficiently developed and is borne from the female; and
 - (d) sustaining the transgenic animal.
-

26. (Amended) A method according to claim 25 wherein both

a vector comprising

- (a) a nucleic acid sequence encoding a human Tau protein;
- (b) a sequence capable of directing expression of said human Tau protein in the nervous system of a non-human animal; and
- (c) a targeting sequence which facilitates integration of said vector into the genome of said animal so as to prevent expression of equivalent Tau protein or a related or equivalent protein from said animal in favour of said human Tau protein

and a vector comprising:

- (a) a nucleic acid sequence encoding a human protein capable of modulating human Tau protein;
- (b) a sequence capable of directing expression of said protein in the nervous system of said animal; and

(c) a targeting sequence capable of facilitating integration of said vector into the genome of said animal optionally at a position corresponding to a sequence in said animal encoding an equivalent of said human protein so as to prevent expression of said equivalent sequence in favour of said human protein capable of modulating human Tau protein

are introduced into said stem cell.

27. (Amended) A method according to claim 26 wherein said non-human animal is a mammal.

29. (Amended) A method according to claim 24, comprising the step of introducing a vector according to claim 1 into a first animal and a vector according to claim 12 into a second animal, crossing said first and second animals and selecting among the progeny those that express both said human Tau and said protein capable of modulating human Tau protein.

32. (Amended) A method according to claim 30 wherein said transgenic non-human animal is a mammal.

34. (Amended) A method according to claim 30 wherein said second nucleic acid vector comprises a sequence of nucleotides comprising a region of homology with a sequence encoding an equivalent Tau protein in said animal or with a region flanking or adjacent said sequence so as to facilitate integration of said vector into the genome of said animal by homologous recombination.

35. (Amended) A method of generating a transgenic non-human animal which is a model for Alzheimers disease or related neurodegenerative disorders,

(c) a targeting sequence capable of facilitating integration of said vector into the genome of said animal optionally at a position corresponding to a sequence in said animal encoding an equivalent of said human protein so as to prevent expression of said equivalent sequence in favour of said human protein capable of modulating human Tau protein

are introduced into said stem cell.

27. (Amended) A method according to claim 26 wherein said non-human animal is a mammal.

29. (Amended) A method according to claim 24, comprising the step of introducing a vector according to claim 1 into a first animal and a vector according to claim 12 into a second animal, crossing said first and second animals and selecting among the progeny those that express both said human Tau and said protein capable of modulating human Tau protein.

32. (Amended) A method according to claim 30 wherein said transgenic non-human animal is a mammal.

34. (Amended) A method according to claim 30 wherein said second nucleic acid vector comprises a sequence of nucleotides comprising a region of homology with a sequence encoding an equivalent Tau protein in said animal or with a region flanking or adjacent said sequence so as to facilitate integration of said vector into the genome of said animal by homologous recombination.

35. (Amended) A method of generating a transgenic non-human animal which is a model for Alzheimers

disease or related neurodegenerative disorders, comprising the steps of crossing a first transgenic non-human animal comprising a vector according to claim 1 in its genome with a second transgenic non-human animal comprising a vector according to claim 12 in its genome selecting among the progeny those that express both human Tau protein and said kinase.

36. (Amended) A method according to claim 35 wherein said nucleic acid vector in said first transgenic animal comprises a vector according to claim 10.

37. (Amended) A method according to claim 36 wherein said second transgenic animal comprises a vector according to claim 12.

39. (Amended) A transgenic non-human animal obtainable according to the methods of claim 24.

41. (Amended) A transgenic non-human animal according to claim 40 wherein said sequence in step (a) comprises a vector according to claim 1.

42. (Amended) A transgenic non-human animal according to claim 40 wherein said sequence according to step (b) comprises a vector according to claim 12.

43. (Amended) A method of identifying a compound which modulates human kinase mediated phosphorylation of human Tau protein which method comprises administering a test compound to a non-human animal according to claim 39 expressing both said human Tau protein and said human kinase and monitoring the phosphorylation profile of said Tau protein compared to one of said transgenic animals which has not been administered with the compound.